



Educational Line

The practical and robust product for schools, training centres, the workshop and laboratory

Features

- With its integrated handle as well as its stable arm curved stand, the KERN OSF-43 has been specially developed for schools and workshops
- The LED reflected and transmitted illumination included as standard guarantees the very best, continuously dimmable illumination of your sample
- As well as very good optical characteristics, its ergonomic working surface means that it offers the highest level of convenience in this class
- A turnable objective with three predefined magnifications is available to make your working procedures quicker and more effective
- The eyepieces are fixed in the eyepiece tube, to stop them getting damaged or lost

- The ergonomic shape and the stable mechanism which can be adjusted extremely accurately offer a high level of functionality and enable you to work quickly and efficiently with very little effort
- A large selection of eyepieces as well as various additional external illumination units are available as accessories
- A protective dust cover, eye cups, as well as multi-lingual user instructions are included in the scope of delivery
- Please find detailed information in the following model outfit list

Scope of application

 Training, in vitro fertilisation, detection of parasites, zoology and botany, tissue preparation, section, quality control

Applications/Samples

 Samples with focus on three-dimensional impression (depth, thickness), e.g. insects, seeds, circuit boards, components

Technical data

- Optical system: Greenough optics
- Brightness adjustable (separate)
- Tube 45° inclined
- Interpupillary distance 55 75 mm
- Diopter adjustment: One-sided
- Overall dimensions W×D×H 230×180×275 mm
- Net weight approx. 2,5 kg

STANDARD								
00	Ð	Ö	Q		_			
BINO	LED	IL	TL	BATT	230 V	1 DAY		

Model				Standard o	configuration	
	Tube	Eyepiece	Field of view	Objective	Stand	Illumination
KERN			mm			
OSF 438	Binocular	WF 10×/Ø 20 mm	Ø 20	1×/2×/3×	Arm curved	1 W LED (incident); 0,35 W LED (transmitted)
OSF 439	Binocular	WF 10×/Ø 20 mm	Ø 20	1×/2×/4×	Arm curved	1 W LED (incident); 0,35 W LED (transmitted)

Eyepiece

Specifications - Objectives

	Magnification	1×	2×	3×	4×
	Total magnification	5×	10×	15×	20×
WF 5×	Field of view mm	Ø 20	Ø 10	Ø 6,7	Ø 5
WE 40	Total magnification	10×	20×	30×	40×
WF 10×	Field of view mm	Ø 20	Ø 10	Ø 6,7	Ø 5
	Total magnification	15×	30×	45×	60×
WF 15×	Field of view mm	Ø 15	Ø 7,5	Ø 5	Ø 3,7
	Total magnification	20×	40×	60×	80×
WF 20×	Field of view mm	Ø 10	Ø 6,5	Ø 4,3	Ø 3,2
Working distance		57 mm	57 mm	57 mm	57 mm

Model outfit		Model KERN		Order number
		OSF 438	OSF 439	_
	WF 5×/Ø 16,2 mm	00	00	OZB-A4101
	WF 10×/Ø 20 mm	/ /	44	OZB-A4102
Eyepieces (30,5 mm)	WF 15×/Ø 15 mm	00	00	OZB-A4103
,	WF 20×/Ø 10 mm	00	00	OZB-A4104
	WF 10×/Ø 20 mm (reticule 0,1 mm)	0	0	OZB-A4151
Stand	Arm curved, incl. handle, with LED illumination (0,35 W transmitted + 1 W incident)	✓	✓	
Ctoro minto	Frosted glass/Ø 59,5 mm	✓	✓	OZB-A4815
Stage plate	Black-white/Ø 59,5 mm	✓	✓	OZB-A4816

✓ = Included with delivery O = Option