KERN OSF 438



The practical and robust product for schools, training centres, the workshop and laboratory



Category	
Brand	Optics
Product categoriy	Microscope
Product group	Stereo microscope
Product family	OSF-43
Construction	
Dimension (W×D×H)	230×180×275 mm
Optical system	Greenough
Tube type	Binocular
Tube angle of inclination	45°
Contrasting methods	Bright field
Standard objectives	1× 2× 3×
Eyepieces fixed	✓
Interpupillary distance [Min]	55 mm
Interpupillary distance [Max]	75 mm
Diopter adjustment	one-sided
Diopter adjustment [Min]	-5

Ocular

Eyepiece WF 10 x / Ø 20mm with anti-fungus
WF
10 x
20 mm
30,5 mm

5

Objective

Objectives magnifications

Diopter adjustment [Max]

1x / 2x / 3x

Illumination	
Illuminance	Reflected light Transmitted light
Illumination type incident light	LED
Illumination type transmitted light	LED
Illumination intensity incident light	1 W
Illumination intensity transmitted light	0,35 W
Focussing	
Field of view [Min]	6,7 mm
Field of view [Max]	20 mm
Torque regulation	1
Working distance	57 mm
Focusing mechanism	coarse drive
Stereomicroscope stand	
Stand type	mechanical
Power Supply	
Supplied power supply	Power supply unit
Plug-in power supply type	Power adapter
Plug-in power supply / adapter for countries - included with the delivery	EURO
denvery	AUS
Plug-in power supply / adapter for	UK
countries - optional	US
	СН
Input voltage power supply / power [Max]	100 - 240 V
Input voltage device / power [Max]	4,5 V
Environmental conditions	
Storage temperature [Min]	-5 °C
Storage temperature [Max]	40 °C
Approval	
CE mark	1
Packing & Shipping	
Delivery time	1 d
Dimensions packaging (W×D×H)	340×310×225 mm
Shipping method	Parcel service
Net weight approx.	2,4 kg
Gross weight approx.	2,4 kg
Shipping weight	4,7 kg
bh99	-
	1

KERN OSF 438



The practical and robust product for schools, training centres, the workshop and laboratory

Pictograms

STANDARD

